

# SAFETY DATA SHEET

A CSW Industrials Company

Revision Date 2-Mar-2017 Issuing Date 12-May-2015 **Revision Number 1** 

## 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND THE COMPANY/UNDERTAKING

**GHS** product identifier

**Product Name** JET-LUBE® 550®

Other means of identification

Product Code(s) 155

**UN-Number** UN3082

**Synonyms** 550®

## Recommended use of the chemical and restrictions on use

**Recommended Use** Lubricants, Greases and Release Products, Sealant

Uses advised against No information available

#### Supplier's details

#### **Manufacturer Address**

Jet-Lube, LLC 930 Whitmore Dr. Rockwall, Texas 75087 TEL: 972-771-1000 Toll Free: 1-800-669-6318

## **Emergency telephone number**

CHEMTREC: +1-703-527-3887 (INTERNATIONAL) **Emergency Telephone** 

Number 1-800-424-9300 (NORTH AMERICA)

### 2. HAZARDS IDENTIFICATION

## Classification

This chemical is not considered hazardous according to the OSHA Hazard Communication Standard 2012 (29 CFR 1910.1200).

## GHS Label elements, including precautionary statements

### **Emergency Overview**

Signal Word None

The product contains no substances which at their given concentration are considered to be hazardous to health Physical State Semi-fluid (gel). **Odor** Petroleum Oil-Pungent Appearance gray to black

**Precautionary Statements** 

Prevention

Page 1/8

#### **General Advice**

None

#### **Storage**

None

#### Disposal

None

## **Hazard Not Otherwise Classified (HNOC)**

Not applicable

# Other information

Toxic to aquatic life with long lasting effects

23.8% of the mixture consists of ingredient(s) of unknown toxicity.

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

Synonyms 550®

Chemical Name	CAS-No	Weight %	Trade secret
Zinc oxide	1314-13-2	10-15	*
Limestone	1317-65-3	5-10	*
Graphite	7782-42-5	5-10	*
Molybdenum (IV) sulfide	1317-33-5	1-5	*

<sup>\*</sup>The exact percentage (concentration) of composition has been withheld as a trade secret.

## 4. FIRST AID MEASURES

#### **Description of necessary first-aid measures**

Eye Contact Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

**Skin Contact**Wash off immediately with soap and plenty of water removing all contaminated clothes and

shoes.

**Inhalation** Move to fresh air.

**Ingestion** Clean mouth with water and afterwards drink plenty of water. Consult a physician if

necessary

### Most important symptoms/effects, acute and delayed

Most Important Symptoms/Effects No information available.

#### Indication of immediate medical attention and special treatment needed, if necessary

Notes to Physician Treat symptomatically.

## 5. FIRE-FIGHTING MEASURES

#### **Suitable Extinguishing Media**

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media Do not use a solid water stream as it may scatter and spread fire.

## **Specific Hazards Arising from the Chemical**

Burning produces obnoxious and toxic fumes. Carbon monoxide, carbon dioxide and unburned hydrocarbons (smoke). Heavy metal compounds

Revision Date 2-Mar-2017

**Explosion Data** 

Sensitivity to Mechanical Impact None.
Sensitivity to Static Discharge None.

## **Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

## 6. ACCIDENTAL RELEASE MEASURES

#### Personal precautions, protective equipment and emergency procedures

**Personal Precautions**Use personal protective equipment. Avoid contact with the skin and the eyes.

**Environmental Precautions** 

Environmental Precautions Do not allow material to contaminate ground water system. Avoid release to the

environment. Dispose of contents/container to an approved waste disposal plant. Collect spillage. See Section 12 for additional Ecological Information. Local authorities should be

advised if significant spillages cannot be contained.

#### Methods and materials for containment and cleaning up

**Methods for Containment** Prevent further leakage or spillage if safe to do so.

**Methods for Cleaning Up**Take up mechanically and collect in suitable container for disposal.

## 7. HANDLING AND STORAGE

#### Precautions for safe handling

**Handling** Wear personal protective equipment. Avoid contact with skin and eyes. Wash thoroughly

after handling.

## Conditions for safe storage, including any incompatibilities

**Storage** Keep containers tightly closed in a dry, cool and well-ventilated place.

**Incompatible Products** Strong oxidizing agents.

# 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

#### **Control parameters**

#### **Exposure Guidelines**

	Chemical Name ACGIH TLV OSHA PEL		NIOSH IDLH	
ſ	Zinc oxide STEL: 10 mg/m³ respirable		TWA: 5 mg/m <sup>3</sup> fume	IDLH: 500 mg/m <sup>3</sup>
	1314-13-2	fraction	TWA: 15 mg/m³ total dust TWA: 5	Ceiling: 15 mg/m³ dust TWA: 5
		TWA: 2 mg/m³ respirable fraction	mg/m³ respirable fraction	mg/m³ dust and fume STEL:
			(vacated) TWA: 5 mg/m <sup>3</sup> fume	10 mg/m³ fume
			(vacated) TWA: 10 mg/m <sup>3</sup> total	
			dust	
			(vacated) TWA: 5 mg/m <sup>3</sup>	
			respirable fraction	
			(vacated) STEL: 10 mg/m³ fume	
ſ	Limestone	-	TWA: 15 mg/m <sup>3</sup>	TWA: 5 mg/m³ respirable dust
	1317-65-3		TWA: 5 mg/m³ (vacated)	TWA: 10 mg/m3 total dust
			TWA: 15 mg/m <sup>3</sup> (vacated)	-
			TWA: 5 mg/m <sup>3</sup>	

Graphite	-	TWA: 15 mg/m³ total dust	IDLH: 1250 mg/m <sup>3</sup>
7782-42-5		synthetic	TWA: 2.5 mg/m³ respirable dust
		TWA: 5 mg/m³ total dust	
		synthetic	
		(vacated) TWA: 2.5 mg/m <sup>3</sup>	
		respirable dust natural	
		(vacated) TWA: 10 mg/m³ total	
		dust synthetic	
		(vacated) TWA: 5 mg/m <sup>3</sup>	
		respirable fraction synthetic	
		TWA: 15 mppcf natural	
Molybdenum (IV) sulfide	TWA: 10 mg/m <sup>3</sup> Mo inhalable	TWA: 15 mg/m <sup>3</sup> total dust	IDLH: 5000 mg/m <sup>3</sup> Mo
1317-33-5	fraction	(vacated) TWA: 10 mg/m <sup>3</sup> Mo	-
	TWA: 3 mg/m <sup>3</sup> Mo respirable		
	fraction		

### **Appropriate engineering controls**

Engineering Measures Showers

Eyewash stations Ventilation systems

#### Individual protection measures, such as personal protective equipment

**Eye/Face Protection** Safety glasses with side-shields.

**Skin and Body Protection**Long sleeved clothing. Protective gloves.

Respiratory Protection No protective equipment is needed under normal use conditions. If exposure limits are

exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should

be worn.

**Hygiene Measures** Handle in accordance with good industrial hygiene and safety practice.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

#### Information on basic physical and chemical properties

Physical State Semi-fluid (gel) Appearance gray to black

Odor Petroleum Oil-Pungent Odor Threshold No information available

**Property** Values Remarks/ - Method pН Neutral None known **Melting Point/Range** 260 °C / 500 °F None known **Boiling Point/Boiling Range** > 316 °C / 600.8 °F None known > 221 °C **Flash Point** None known **Evaporation rate** No data available None known Flammability (solid, gas) No data available None known

Flammability Limits in Air

upper flammability limit
lower flammability limit
No data available
No data available

**Vapor Pressure** No data available None known **Vapor Density** No data available None known **Specific Gravity** 1.19 None known **Water Solubility** Negligible None known Solubility in other solvents Largely. None known Partition coefficient: n-octanol/waterNo data available None known No data available **Autoignition Temperature** None known **Decomposition Temperature** No data available None known **Viscosity** No data available None known

Flammable Properties Not flammable

Explosive Properties No data available
Oxidizing Properties No data available

Other information

VOC Content (%) No data available

## 10. STABILITY AND REACTIVITY

### Reactivity

No data available.

#### **Chemical stability**

Stable under recommended storage conditions.

#### Possibility of hazardous reactions

None under normal processing.

### **Hazardous Polymerization**

Hazardous polymerization does not occur.

#### **Conditions to avoid**

None known based on information supplied.

#### Incompatible materials

Strong oxidizing agents.

## **Hazardous decomposition products**

None known based on information supplied.

## 11. TOXICOLOGICAL INFORMATION

## Information on likely routes of exposure

**Product Information** 

InhalationNone under normal use condtionsEye ContactContact with eyes may cause irritation.

**Skin Contact**Non-irritating during normal use. Prolonged or repeated contact may dry skin and cause

irritation

**Ingestion** Not an expected route of exposure. Ingestion may cause gastrointestinal irritation, nausea,

vomiting and diarrhea.

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
Zinc oxide	> 5000 mg/kg ( Rat )	-	-
Molybdenum (IV) sulfide	-	-	> 2820 mg/m³ (Rat) 4 h

#### Symptoms related to the physical, chemical and toxicological characteristics

**Symptoms** No information available.

# Delayed and immediate effects and also chronic effects from short and long term exposure

**Sensitization Mutagenic Effects**No information available.
No information available.

**Carcinogenicity** Contains no ingredients above reportable quantities listed as a carcinogen.

Reproductive Toxicity
STOT - single exposure
STOT - repeated exposure
No information available.
No information available.

Aspiration Hazard No information available.

Numerical measures of toxicity - Product

**Acute Toxicity** 23.8% of the mixture consists of ingredient(s) of unknown toxicity.

The following values are calculated based on chapter 3.1 of the GHS document:

**LD50 Oral** 2652 mg/kg; Acute toxicity estimate

## 12. ECOLOGICAL INFORMATION

#### **Ecotoxicity**

Toxic to aquatic life with long lasting effects.

Chemical Name	Toxicity to Algae	Toxicity to Fish	Toxicity to Microorganisms	Daphnia Magna (Water Flea)
Zinc oxide	Selenastrum capricornutum	Oncorhynchus mykiss		Daphnia magna
1314-13-2	72-hour EC50: 0.14 mg/l	96-hour LC50: 0.14 mg/l		48-hour EC50: 0.07 mg/l

Persistence and Degradability No information available.

**Bioaccumulation** No information available.

### **Other Adverse Effects**

No information available.

#### 13. DISPOSAL CONSIDERATIONS

Waste Disposal Methods This material, as supplied, is not a hazardous waste according to Federal regulations (40

CFR 261). This material could become a hazardous waste if it is mixed with or otherwise comes in contact with a hazardous waste, if chemical additions are made to this material, or if the material is processed or otherwise altered. Consult 40 CFR 261 to determine whether the altered material is a hazardous waste. Consult the appropriate state, regional, or local

regulations for additional requirements.

**Contaminated Packaging**Do not re-use empty containers.

### 14. TRANSPORT INFORMATION

DOT

UN3082

**Proper shipping name** Environmentally hazardous substance, liquid, n.o.s.

Hazard Class 9
Packing Group III

**Description** UN3082, Environmentally hazardous substance, liquid, n.o.s. (Zinc oxide), 9, III, Marine

Pollutant

**Emergency Response Guide** 

Number

171

**TDG** 

UN-Number UN3082

**Proper Shipping Name** Environmentally hazardous substance, liquid, n.o.s.

Hazard Class 9
Packing Group |

**Description** UN3082, Environmentally hazardous substance, liquid, n.o.s. (Zinc oxide), 9, III, Marine

Pollutant

MEX

UN-Number UN3082

**Proper Shipping Name** Environmentally hazardous substance, liquid, n.o.s.

Hazard Class 9
Packing Group III

**Description** UN3082, Environmentally hazardous substance, liquid, n.o.s. (Zinc oxide), 9, III

ICAO

UN-Number UN3082

**Proper shipping name** Environmentally hazardous substance, liquid, n.o.s.

Hazard Class 9
Packing Group III

**Description** UN3082, Environmentally hazardous substance, liquid, n.o.s. (Zinc oxide), 9, III

IATA

UN-Number UN3082

**Proper Shipping Name** Environmentally hazardous substance, liquid, n.o.s.

Hazard Class 9
Packing Group III
ERG Code 9L

**Description** UN3082, Environmentally hazardous substance, liquid, n.o.s. (Zinc oxide), 9, III

IMDG/IMO

UN-Number UN3082

Proper Shipping Name Environmentally hazardous substance, liquid, n.o.s.

Hazard Class 9
Packing Group III
EmS No. F-A, S-F

**Description** UN3082, Environmentally hazardous substance, liquid, n.o.s. (Zinc oxide), 9, III, Marine

**Pollutant** 

<u>RID</u>

UN-Number UN3082

**Proper Shipping Name** Environmentally hazardous substance, liquid, n.o.s.

Hazard Class 9
Packing Group III
Classification Code M6

**Description** UN3082, Environmentally hazardous substance, liquid, n.o.s. (Zinc oxide), 9, III

ADR

UN-Number UN3082

**Proper Shipping Name** Environmentally hazardous substance, liquid, n.o.s.

Hazard Class 9
Packing Group III
Classification Code M6
Tunnel Restriction Code (E)

**Description** UN3082, Environmentally hazardous substance, liquid, n.o.s. (Zinc oxide), 9, III, (E)

ADN

**Proper Shipping Name** Environmentally hazardous substance, liquid, n.o.s.

Hazard Class 9
Packing Group III
Classification Code M6

Special Provisions 274, 335, 601

**Description** UN3082, Environmentally hazardous substance, liquid, n.o.s. (Zinc oxide), 9, III

Limited Quantity 5 L

## 15. REGULATORY INFORMATION

#### **International Inventories**

## Legend

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

## U.S. Federal Regulations

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372:

Chemical Name	CAS-No	Weight %	SARA 313 - Threshold Values %
Zinc oxide	1314-13-2	1-2	1.0

#### SARA 311/312 Hazard Categories

Acute Health HazardNoChronic Health HazardNoFire HazardNoSudden Release of Pressure HazardNoReactive HazardNo

#### **Clean Water Act**

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42):

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Zinc oxide		X		

#### **CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

## **U.S. State Regulations**

## **California Proposition 65**

This product does not contain any Proposition 65 chemicals.

#### U.S. State Right-to-Know Regulations

"X" designates that the ingredients are listed on the state right to know list.

Chemical Name	New Jersey	Massachusetts	Pennsylvania	Illinois	Rhode Island
Zinc oxide	X	X	X		

## U.S. EPA Label Information

**EPA Pesticide Registration Number** Not applicable

16. OTHER INFORMATION					
NFPA	Health Hazard 1	Flammability 1	Instability 0	Physical and Chemical Hazards -	
<u>HMIS</u>	Health Hazard 1	Flammability 1	Physical Hazard 0	Personal Protection X	

Prepared By Product Stewardship

23 British American Blvd. Latham, NY 12110 1-800-572-6501 12-May-2015

Issuing Date12-May-2015Revision Date2-Mar-2017

Revision Note Updated company information

### **General Disclaimer**

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

**End of Safety Data Sheet**